

(Click on Well Log ID to Access Image of Well Strip Log)

HOWELL

(Records are Sorted by Township, Range, and Section)

LOG ID: 023903

WELL TYPE Private Well

DRILL DATE:

1965/08/19

TOWNSHIP

21N

RANGE SECTION **ELEVATION:**

603,243.11

ZONE 15

839FT

County Base Map

DRILL DEPTH:

200FT

8W

4

UTM X

UTM Y 4,040,773.74

DEPTH TO BED: S.W.L. (BEFORE CASING):

100FT

85

FT

FT

REMARKS: 3 MI W OF LENTON, 0.5 MI S OF HWY 142

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 024086

Private Well

DRILL DATE:

1965/11/26

TOWNSHIP

SECTION RANGE 6

ELEVATION:

873FT

DRILL DEPTH:

160FT

21N 10W

> UTM X 581,169.16

UTM Y 4,042,831.85

DEPTH TO BED:

50FT

90

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

024264 DRILL DATE:

1966/05/04

TOWNSHIP 22N

SECTION RANGE

ELEVATION:

870FT

DRILL DEPTH:

226FT

7W 23

UTM X UTM Y

ZONE 15

DEPTH TO BED:

38FT

4,045,570.70 616,508.10

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 0.5 MI W OF HWY PP & 5 MI N OF HWY 142

S.W.L. (AFTER CASING): 95

LOG ID: 010864

WELL TYPE Private Well

DRILL DATE:

1949/04/01

TOWNSHIP 22N

RANGE SECTION **ELEVATION:**

742FT

DRILL DEPTH:

DEPTH TO BED:

110FT

30FT

7W 32

UTM X UTM Y

ZONE 15

610,918.09

4,042,445.71

S.W.L. (BEFORE CASING):

REMARKS:

formerly in name of Cecal Lemons - 5 MI W OF THAYER; NO DATA

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011773

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1951/00/00 DRILL DATE:

130FT

40FT

TOWNSHIP 22N

RANGE 7W

SECTION 32

ELEVATION:

680FT

UTM X 612,118.08

UTMY 4,042,341.71

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID: 025193

WELL TYPE Private Well

DRILL DATE:

1968/10/05

TOWNSHIP

TOWNSHIP

22N

RANGE

SECTION

ELEVATION:

980FT

DRILL DEPTH: DEPTH TO BED: 200FT 80FT

22N 8W 24

UTM X

UTMY

607,732.10

4,047,003.76

ZONE 15

S.W.L. (BEFORE CASING):

50

FT

FT

REMARKS:

14 MI S OF WEST PLAINS ON HWY 17

S.W.L. (AFTER CASING):

LOG ID: 023616

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1965/05/27

210FT

15FT

13

REMARKS:

RANGE SECTION 9W

10

ELEVATION:

972FT

UTM Y

UTM X

595,417.14 4,049,854.84

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

014637

Industrial High Capacity Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1955/12/22

1,200FT

15FT

TOWNSHIP 22N

RANGE 9W

SECTION 12

ABT 3 MI SW OF CHINA CHURCH ON HWY JJ

ELEVATION:

600.083.13

984FT

UTM X

UTM Y 4,050,195.82

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: Shook & Fletcher

S.W.L. (AFTER CASING):

120



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023910

WELL TYPE Private Well

1965/09/03 DRILL DATE:

TOWNSHIP RANGE SECTION 22N 9W 12

ELEVATION:

1,031FT

DRILL DEPTH: 202FT

UTM X

UTMY 4,049,577.82

600,083.13

DEPTH TO BED: S.W.L. (BEFORE CASING):

30FT

REMARKS: 11 MIS OF WEST PLAINS

S.W.L. (AFTER CASING): 90

FT

FT

FT

ZONE 15

LOG ID: 023613

WELL TYPE Private Well

DRILL DATE:

1965/04/21

TOWNSHIP

SECTION RANGE

ELEVATION:

843FT

DRILL DEPTH:

90FT

22N 9W 25

UTM X

UTMY

DEPTH TO BED:

50FT

31

599,541.12

ZONE 15

4,045,323.79

REMARKS:

13 MI S OF WEST PLAINS - LOST SPRINGS CHURCH

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 024363

WELL TYPE Private Well

DRILL DATE: 1965/00/00

TOWNSHIP

RANGE SECTION **ELEVATION:**

980FT

DRILL DEPTH:

226FT

22N 9W 35

UTM X

UTM Y

DEPTH TO BED:

20FT

597,198.12 4,042,886.78

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

65

REMARKS:

LOG ID:

024370

WELL TYPE

Private Well

DRILL DATE:

55FT

SECTION TOWNSHIP RANGE 22N

9W

ELEVATION:

998FT

DRILL DEPTH: DEPTH TO BED:

UTM X

UTM Y

594.819.14 4,051,817.85

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025262

WELL TYPE Private Well

1966/08/01 DRILL DATE: **TOWNSHIP**

RANGE SECTION 22N 10W 1

ELEVATION:

1,128FT

DRILL DEPTH: 100FT

UTM X

UTMY 4,051,890.87

DEPTH TO BED:

590,583.15 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

30

LOG ID:

WELL TYPE

008638

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1944/10/01

TOWNSHIP

SECTION RANGE

15

ELEVATION: 975FT

DRILL DEPTH:

385FT

10W 22N

UTM X

DEPTH TO BED:

30FT

586,514.15

UTMY 4,048,623.86

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

008714

Exploratory Hole (Mineral Prospect)

DRILL DATE:

SECTION TOWNSHIP RANGE

ELEVATION: 1,050FT

DRILL DEPTH:

22N 10W 15

UTM X UTM Y

DEPTH TO BED:

586,814.15 4,048,314.86

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: SEE LOG #9631

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

008715

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1946/03/01

TOWNSHIP RANGE

SECTION

ELEVATION: 1,037FT

DRILL DEPTH:

22N 10W 15

UTM X

UTM Y

DEPTH TO BED:

586,614.15 4,048,108.86

ZONE 15

S.W.L. (BEFORE CASING):

SEE LOG #9632 **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008716

WELL TYPE

Exploratory Hole (Mineral Prospect)

1945/03/01 DRILL DATE:

TOWNSHIP RANGE SECTION 22N 10W

15

ELEVATION: 1,037FT

UTM X **UTMY**

586,614.15 4,048,108.86 ZONE 15

DEPTH TO BED:

DRILL DEPTH:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

SEE LOG # 9633 **REMARKS**:

LOG ID:

008717

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

DRILL DEPTH:

TOWNSHIP SECTION RANGE 22N 15

10W

ELEVATION: 1,037FT

DEPTH TO BED:

UTM X

586,614.15 4,048,108.86

UTMY

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: SEE LOG #9634

S.W.L. (AFTER CASING):

LOG ID: 009631

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1945/03/01

SECTION TOWNSHIP RANGE

15

ELEVATION: 1,099FT

DRILL DEPTH:

300FT

22N 10W

UTM X UTM Y

DEPTH TO BED:

70FT

586,814.15 4,048,314.86

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: OLD #8714

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

009632

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1945/03/01

TOWNSHIP RANGE **SECTION**

ELEVATION: 1,060FT

210FT

22N

10W 15

UTM X

DRILL DEPTH: DEPTH TO BED:

UTM Y 4,048,108.86

586.614.15 ZONE 15

35FT

OLD LOG #8715 **REMARKS**:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009633

DRILL DEPTH:

WELL TYPE

Exploratory Hole (Mineral Prospect)

135FT

1945/03/01 DRILL DATE:

TOWNSHIP RANGE SECTION 22N

10W 15

DEPTH TO BED: 27FT UTM X

ELEVATION:

586,614.15

4,048,108.86 ZONE 15

S.W.L. (BEFORE CASING):

OLD LOG #8716 **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

009634

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1945/03/01

TOWNSHIP

REMARKS:

RANGE

ELEVATION:

1,060FT

1,059FT

UTMY

DRILL DEPTH: DEPTH TO BED: 260FT 40FT 10W 15

> **UTM X UTMY**

586,614.15

4,048,108.86

ZONE 15

S.W.L. (BEFORE CASING):

OLD LOG #8717 REMARKS:

22N

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

008637

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1944/10/01

TOWNSHIP RANGE **SECTION**

SECTION

ELEVATION:

959FT

DRILL DEPTH:

22N

10W 20

UTM X UTM Y

DEPTH TO BED:

100FT 65FT

583,172.16

4,046,112.86

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

008639

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1944/10/01

TOWNSHIP

RANGE SECTION **ELEVATION:**

986FT

22N

10W

UTM X

DRILL DEPTH:

DEPTH TO BED:

140FT 60FT 21

584.990.15

ZONE 15

UTM Y 4,046,003.85

S.W.L. (BEFORE CASING):

50' E OF END OF G & G OPEN PIT **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014358

DRILL DEPTH:

WELL TYPE Private Well

1956/00/00 DRILL DATE:

DEPTH TO BED: 40FT

130FT

REMARKS:

REMARKS:

REMARKS:

RANGE SECTION 10W

25

NO PRODUCTION OR CONSTRUCTION DATA

ELEVATION:

994FT

UTM X

UTMY 4,044,561.82

590,501.14

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Oil Well

017630

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP 22N

TOWNSHIP

22N

TOWNSHIP

22N

RANGE 10W

RANGE

NO PRODUCTION DATA

10W

SEE LOG #17454

SECTION 26

SECTION

32

ELEVATION:

UTM X

UTMY 4,044,565.83

587,591.15 ZONE 15

LOG ID: 021249

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH: 1962/04/24

102FT

DEPTH TO BED: 50FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 017454

WELL TYPE Oil Well

DRILL DATE:

DRILL DEPTH: 605FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

20FT

REMARKS:

"FLOWS 15-20 GPM @ APPROX. 175"; LOG #17630 - 117 SPLS;

LOG #17454 - 5 SPLS.

ELEVATION: 1,017FT

UTM X

UTM Y

851FT

583,847.15 4,043,212.84

ZONE 15

TOWNSHIP RANGE SECTION ELEVATION: 22N 10W 36

> UTM X UTM Y

589.196.15 4,042,848.82

ZONE 15

2/27/2007

2,339



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021250

WELL TYPE Private Well

1962/00/00 DRILL DATE:

TOWNSHIP 22N

SECTION

ELEVATION:

945FT

DRILL DEPTH:

106FT

10W 36

RANGE

UTM X

UTMY

DEPTH TO BED:

20FT

60

589,296.14 4,042,343.81

ZONE 15

S.W.L. (BEFORE CASING):

FT

0.5 MI W OF MOODY

S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 021224

WELL TYPE Private Well

DRILL DATE:

1962/04/20

TOWNSHIP

SECTION RANGE

ELEVATION: 1,044FT

DRILL DEPTH:

226FT

22N 10W

UTM X

DEPTH TO BED:

25FT

6

UTMY 4,051,517.90

581,054.16 ZONE 15

S.W.L. (BEFORE CASING):

146

FT

SECTION 2.25 MI WIDE, 1.15 MI HIGH **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 022844

WELL TYPE Private Well

DRILL DATE:

1963/09/01

TOWNSHIP

RANGE SECTION 7W 14

ELEVATION:

986FT

DRILL DEPTH:

200FT

23N

UTM X

UTM Y

DEPTH TO BED:

50FT

615,837.12

4,057,122.80

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

formerly in name of Wesley Koonce - NW EDGE OF BRANDSVILLE

130

LOG ID: 023789

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP

RANGE

SECTION

ELEVATION:

964FT

DRILL DEPTH:

DEPTH TO BED:

205FT 50FT

110

23N

7W 14

UTM X

UTM Y

615.637.12

4,057,015.80 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: FOREST PARK ADDITION



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024356

WELL TYPE Private Well

1966/06/02 DRILL DATE: **TOWNSHIP RANGE**

> 23N 7W

ELEVATION:

1,023FT

DRILL DEPTH:

DEPTH TO BED:

195FT 90FT 18

SECTION

UTM X

609,268.12

UTMY 4,057,094.84

ZONE 15

S.W.L. (BEFORE CASING):

4 MI DUE W OF BRANDSVILLE **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 028161

WELL TYPE

Community Public Well

DRILL DATE:

1978/10/26

TOWNSHIP

SECTION RANGE

ELEVATION:

929FT

DRILL DEPTH:

1,300FT

23N 7W

UTM X

UTMY

DEPTH TO BED:

20FT

616,284.12 4,056,915.79

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

SCANNED, NOT COMPLETELY RUN; NO PRODUCTION OR

23

COMPLETION DATA

LOG ID: 020686

WELL TYPE

Private Well

DRILL DATE:

1961/12/11

TOWNSHIP

23N

RANGE SECTION **ELEVATION:**

887FT

DRILL DEPTH:

165FT

7W 4

UTM X

UTM Y

DEPTH TO BED:

45FT

612,509.12

4,061,101.85

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 024365

1964/04/28

TOWNSHIP

23N

RANGE SECTION **ELEVATION:**

1,010FT

DRILL DATE: DRILL DEPTH:

205FT

7W

UTM X

ZONE 15

609.679.12

UTM Y 4,058,941.85

DEPTH TO BED:

5FT

135

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT **REMARKS:**



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024788

WELL TYPE Private Well

1966/10/06 **RANGE SECTION** DRILL DATE: **TOWNSHIP ELEVATION:** 984FT

> 23N 7W 285FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 10FT

609,479.12 4,059,839.86

ZONE 15

S.W.L. (BEFORE CASING): FT

6 MI SE OF WEST PLAINS ON HWY 68 **REMARKS**:

NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING): 225

LOG ID: 027746

WELL TYPE Irrigation Well

DRILL DATE: **TOWNSHIP SECTION** 1974/10/15 **RANGE ELEVATION:** 886FT

23N 8 7W DRILL DEPTH: 1,500FT

UTM X **UTMY** DEPTH TO BED: 610,773.12 4,058,776.85 115FT

ZONE 15 S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Noncommunity Public Well 008651

DRILL DATE: 1944/11/01 **TOWNSHIP RANGE SECTION ELEVATION:** 999FT

23N **8W** 2 **DRILL DEPTH:** 255FT

UTM X UTM Y

DEPTH TO BED: 50FT 606,535.13 4,060,454.87

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: COUNTY FARM

130 S.W.L. (AFTER CASING):

LOG ID: 024366

DRILL DEPTH:

WELL TYPE Private Well

1964/00/00 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 960FT

UTM X UTM Y

DEPTH TO BED: 30FT 607.345.12 4,055,392.83

W8

25

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** POOR SAMPLES, SKIP 90-120'

23N

125 S.W.L. (AFTER CASING):

223FT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025304

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

60

DRILL DATE: 1966/09/21

130FT

DEPTH TO BED: 70FT

TOWNSHIP RANGE SECTION 23N 8W 28

ELEVATION: 1,058FT

<u>UTM X</u> 602,240.13 <u>UTM Y</u> 4,054,251.84

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

RKS: 6 MI S OF WEST PLAINS ON HWY 17; DO NOT USE LOG, VERY

POOR SAMPLES

LOG ID: 025320

WELL TYPE Private Well

DRILL DATE:

1966/07/25

TOWNSHIP

<u>RANGE</u>

SECTION

ELEVATION: 1,068FT

DRILL DEPTH: 115FT

23N

8W 29

UTM X

UTM Y

4,054,679.85

ZONE 15

600,390.13

<u>DEPTH TO BED:</u>
S.W.L. (BEFORE CASING):

45FT

REMARKS:

7 MI S OF WEST PLAINS, 1 MI W OF HWY 17

S.W.L. (AFTER CASING):

LOG ID: 025302

WELL TYPE Private Well

1966/08/01

TOWNSHIP 23N

RANGE SECTION

ELEVATION:

1,060FT

DRILL DEPTH:

DRILL DATE:

60FT

40

8W 30

<u>UTM X</u> 598,937.14 <u>UTM Y</u> 4,054,899.86

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

ZONE 15 formerly in name of Don Sexton - 7 MI S OF WEST PLAINS BETWEEN

HWYS 17 & JJ

LOG ID:

WELL TYPE Private Well

023612

.....

DRILL DATE:

1965/04/13

TOWNSHIP

RANGE

SECTION 31 ELEVATION:

1,060FT

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (AFTER CASING):

200FT 90FT

100

23N 8W

UTM X UTM Y

598,547.14 4,053,906.85

ZONE 15

+,000,000.

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

OLD WELL DEEPENED 90-200'; 8 MI S OF WEST PLAINS ON HWY

JJ



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024254

WELL TYPE Private Well

1966/06/08 DRILL DATE:

TOWNSHIP RANGE SECTION 23N

8W 33 **ELEVATION:**

1,038FT

DRILL DEPTH:

120FT

UTM X

UTM Y

DEPTH TO BED:

45FT

50

602,038.13

4,053,873.84

ZONE 15

S.W.L. (BEFORE CASING):

FT

7 MI S OF WEST PLAINS ON HWY 17 **REMARKS**:

S.W.L. (AFTER CASING):

WELL TYPE Private Well

025303 DRILL DATE:

LOG ID:

1966/06/11

TOWNSHIP 23N

RANGE SECTION **ELEVATION:** 1,092FT

DRILL DEPTH: DEPTH TO BED: 265FT 15FT 8W 4

UTM X

UTMY 601,870.14 4,061,129.89

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

2 MI S OF WEST PLAINS; YIELD AT PUMP CAPACITY - 7.5 GPM

S.W.L. (AFTER CASING): 110

LOG ID: 022861

WELL TYPE Private Well

DRILL DATE:

1963/11/09

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,064FT

DRILL DEPTH:

250FT

23N **8W** 5

> UTM X UTM Y

DEPTH TO BED:

5FT

601,241.14

4,061,156.89

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

180

FT

REMARKS: 2 MI S OF WEST PLAINS

LOG ID:

023381

WELL TYPE Private Well

DRILL DATE:

1964/11/25

TOWNSHIP 23N

SECTION RANGE

ELEVATION:

1,078FT

DRILL DEPTH:

213FT

W8 5

> UTM X 600.241.14

> > ZONE 15

UTM Y 4,061,998.90

DEPTH TO BED:

5FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

103

2 MI S OF WEST PLAINS **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021485

DRILL DEPTH:

WELL TYPE Private Well

<u>DRILL DATE:</u> 1962/06/01 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,090FT

130FT 23N 8W 8

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 100FT 601,622.14 4,059,535.88

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of I. Atkisson - 6 MI S OF WEST PLAINS ON HWY 17

S.W.L. (AFTER CASING): 30

LOG ID:

WELL TYPE

015719 Noncommunity Public Well

DRILL DATE: 1956/12/15 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,102FT

DRILL DEPTH: 330FT 23N 8W 9

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 10FT 601,842.14 4,059,360.88

ZONE 15

S.W.L. (BEFORE CASING): 80 FT REMARKS: formerly in name of R-8 School / Glenwood - 4 MI S OF WEST PLAINS

S.W.L. (AFTER CASING): 75 FT ON HWY 17

LOG ID: 025415

WELL TYPE Private Well

<u>DRILL DATE:</u> 1967/00/00 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,085FT

DRILL DEPTH: 260FT 23N 8W 9

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 15FT 601,861.14 4,059,509.88

S.W.L. (BEFORE CASING):

REMARKS: APPROX. 4 MI S OF WEST PLAINS, NE OF GLENWOOD SCHOOL

S.W.L. (AFTER CASING):

LOG ID: 022857

WELL TYPE
Private Well

DRILL DATE: 1963/08/01 TOWNSHIP RANGE SECTION ELEVATION: 1,129FT

23N

DRILL DEPTH: 80FT UTM X UTM Y

9W

12

<u>DEPTH TO BED:</u> 597,703.14 4,059,593.89
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of Roy Marshall - JCT OF HWYS 160 & AB 5 MI SW

S.W.L. (AFTER CASING): 30 OF WEST PLAINS



RANGE

RANGE

RANGE

9W

9W

9W

SECTION

14

SECTION

17

SECTION

21

TOWNSHIP

23N

TOWNSHIP

TOWNSHIP

23N

23N

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

596,497.15

ELEVATION:

UTM X

591,476.16

ELEVATION:

UTM X

592,765.15

ZONE 15

ZONE 15

1,172FT

UTMY

4,057,992.89

1,112FT

UTMY

4,058,478.91

1,142FT

UTM Y

4,056,520.89

LOG ID: 013771

DRILL DEPTH:

WELL TYPE Private Well

1955/06/01 DRILL DATE:

125FT

90

DEPTH TO BED: 50FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

FT

35

REMARKS:

WELL TYPE

LOG ID: 025261

Private Well

DRILL DATE: DRILL DEPTH: 1966/11/01

130FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

85FT

REMARKS:

REMARKS:

REMARKS:

NO SAMPLES 70-85'

S.W.L. (AFTER CASING):

LOG ID: 021484

WELL TYPE Private Well

DRILL DATE:

1962/07/01

DRILL DEPTH: 86FT

DEPTH TO BED: 75FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 024357

WELL TYPE Private Well

DRILL DATE:

1964/00/00

DRILL DEPTH: 143FT

DEPTH TO BED: 25FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 80

TOWNSHIP

23N

RANGE 9W

SECTION

28

ELEVATION:

1,134FT

UTM X UTM Y

ZONE 15

593.050.15 4,054,197.87 ZONE 15

formerly in name of J.R. Walker - HWY 160 IN SOUTHFORK; "DO NOT

USE FOR CORRELATIONS"



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022850

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,120FT

> 23N 9W 30 120FT

UTM X **UTMY** DEPTH TO BED: 50FT

588,813.16 4,055,306.90

ZONE 15

S.W.L. (BEFORE CASING): FT 1.75 MI N & 0.25 MI W OF HOCOMO **REMARKS**:

S.W.L. (AFTER CASING): 80

LOG ID: **WELL TYPE**

017513 Noncommunity Public Well

DRILL DATE: **TOWNSHIP SECTION** 1958/09/01 **RANGE ELEVATION:** 1,101FT

23N 9W 33 DRILL DEPTH: 450FT

UTM X UTMY DEPTH TO BED: 35FT 592,340.15 4,053,929.88

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING): 100

LOG ID: **WELL TYPE** Private Well 024367

SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION: 1,080FT

23N 10W 12 **DRILL DEPTH:** 200FT

UTM X UTM Y **DEPTH TO BED:** 40FT 588,241.16 4,060,023.93

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: 2 MI S & E OF POTTERSVILLE; POOR SAMPLES, DO NOT USE FOR

130 CORRELATION S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE** Private Well 025120

1967/06/10 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,034FT

180FT **DRILL DEPTH:** UTM X UTM Y

DEPTH TO BED: 30FT 585.844.16 4,061,245.94

10W

2

ZONE 15 S.W.L. (BEFORE CASING): FT

23N

formerly in name of Brewer & Miller - IN POTTERSVILLE **REMARKS:** S.W.L. (AFTER CASING): 20



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025271

WELL TYPE Private Well

DRILL DATE:

1967/08/14

TOWNSHIP 23N

RANGE SECTION 10W 2

ELEVATION:

1,010FT

DRILL DEPTH:

130FT 10FT

48

UTM X

UTM Y 4,061,447.94

586,044.16 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: ON HWY K IN POTTERSVILLE

LOG ID:

WELL TYPE Private Well

022864 DRILL DATE:

1963/09/08

TOWNSHIP

SECTION RANGE

ELEVATION: 1,017FT

DRILL DEPTH:

150FT

23N 10W 20

UTM X

UTMY 4,057,065.93

DEPTH TO BED: 50FT

582,124.16

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 0.75 MI SW OF CUREALL

S.W.L. (AFTER CASING):

LOG ID: 025014

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP RANGE 23N

ELEVATION:

1,033FT

DRILL DEPTH:

155FT

10W 32

SECTION

33

UTM X UTM Y

DEPTH TO BED:

25FT

581,888.16 4,052,807.91

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

LOG ID:

009503

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1947/00/00

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,000FT

DRILL DEPTH:

275FT

23N 10W

UTM X

UTM Y

DEPTH TO BED:

583,514.16 4,054,012.91

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009505

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1947/04/01 **TOWNSHIP RANGE SECTION ELEVATION:**

> 23N 10W 33

DRILL DEPTH: 222FT UTM X **UTMY** DEPTH TO BED: 5FT

583,514.16 4,054,012.91

1,033FT

ZONE 15

S.W.L. (BEFORE CASING):

APPROX 100' SW OF HOLE #1 **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 009986

TOWNSHIP SECTION DRILL DATE: **RANGE ELEVATION:** 1,024FT

23N 10W 33 DRILL DEPTH: 184FT

UTM X UTMY

DEPTH TO BED: 583,514.16 4,054,012.91 ZONE 15

S.W.L. (BEFORE CASING): REMARKS: 310' SE FROM HOLE #1

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

009987 Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,021FT

23N 10W 33 **DRILL DEPTH:** 200FT

UTM X UTM Y

DEPTH TO BED: 583,514.16 4,054,012.91 65FT

100' SW OF HOLE #1

ZONE 15 S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 022859

DRILL DEPTH:

WELL TYPE Private Well

190FT

1963/08/01 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,001FT 23N 10W

UTM X UTM Y DEPTH TO BED: 30FT 582.401.17 4,061,071.95

ZONE 15

S.W.L. (BEFORE CASING): FT formerly in name of Lewis Bradshaw - 0.75 MI S OF JCT HWYS KK & **REMARKS:**

AP, 3 MI W OF POTTERSVILLE S.W.L. (AFTER CASING): 120



(Click on Well Log ID to Access Image of Well Strip Log)

1,032FT

LOG ID: 025263

WELL TYPE Private Well

DRILL DATE: 1966/04/10 TOWNSHIP RANGE SECTION ELEVATION:

<u>DRILL DEPTH:</u> 152FT 23N 10W 5

UTM X UTM Y

<u>DEPTH TO BED:</u> 580,990.17 4,060,899.96
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: HIGHLY WEATHERED RESIDUAL CANADIAN (JC-ROUB)

S.W.L. (AFTER CASING): 70

LOG ID: 005334

WELL TYPE Private Well

DRILL DATE: 1939/04/01 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,055FT

DRILL DEPTH: 108FT 24N 7W 11

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 5FT 616,027.15 4,069,247.89

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: Driller's Log Attached

S.W.L. (AFTER CASING): 45

LOG ID:

WELL TYPE

016257 Industrial High Capacity Well

DRILL DATE: 1957/05/01 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 991FT

<u>DRILL DEPTH:</u> 1,150FT 24N 7W 15

UTM X UTM Y

<u>DEPTH TO BED:</u> 55FT 614,895.14 4,067,174.88

S.W.L. (BEFORE CASING): FT PEMARKS

REMARKS:

S.W.L. (AFTER CASING): 90

LOG ID: 024355

WELL TYPE Private Well

DRILL DATE: 1964/00/00 <u>TOWNSHIP</u> RANGE <u>SECTION</u> <u>ELEVATION:</u> 1,021FT

DRILL DEPTH: 150FT UTM X UTM Y

7W

2

<u>DEPTH TO BED:</u> 615,923.16 4,070,286.89

ZONE 15

24N

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 55



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023920

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1965/09/24 DRILL DATE:

360FT

80FT

TOWNSHIP 24N

RANGE 7W

SECTION 9

ELEVATION:

1,063FT

UTM X

UTMY 4,068,631.91

612,466.14 ZONE 15

S.W.L. (BEFORE CASING):

300

8 MI W OF WEST PLAINS ON HWY 160 **REMARKS:**

S.W.L. (AFTER CASING):

WELL TYPE

025434

Private Well

DRILL DATE:

DRILL DEPTH:

LOG ID:

1967/05/31

FT

FT

FT

FT

TOWNSHIP

RANGE

SECTION

ELEVATION: 1,113FT

162FT

24N

8W 10

> **UTM X UTMY**

> > ZONE 15

ZONE 15

603,595.15

4,069,964.94

DEPTH TO BED: S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

73

REMARKS:

formerly in name of J.T. Renfrow - 3 MI N OF WEST PLAINS PUBLIC

SQUARE ON HWY BB

LOG ID: 016810

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1957/11/01

TOWNSHIP

RANGE

SECTION 12

ELEVATION:

608,209.14

1,132FT

DRILL DEPTH:

24N

8W

UTM X

UTM Y

4,068,696.93

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

140FT

187

187

354FT

REMARKS:

0.25 MI W OF JCT HWYS 160 & 17

LOG ID:

025119

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1967/06/04 200FT

10FT

TOWNSHIP 24N

RANGE W8

SECTION 13

ELEVATION:

1,070FT

UTM X 607.015.14

UTM Y 4,067,285.92

ZONE 15

S.W.L. (BEFORE CASING):

FT

YIELD - 7.5 GPM = "CAPACITY OF PUMP"; 3 MI E OF WEST PLAINS **REMARKS**:

S.W.L. (AFTER CASING):

70



RANGE

8W

SECTION

17

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026978

WELL TYPE

Community Public Well

1971/09/01 DRILL DATE:

DRILL DEPTH: 1,625FT

UTM X **UTMY** DEPTH TO BED: 30FT 600,851.15 4,068,009.94

TOWNSHIP

24N

REMARKS:

ZONE 15

1,002FT

located at airport - MAY BE AIR ROTARY SAMPLES

ELEVATION:

S.W.L. (AFTER CASING): 240

LOG ID:

WELL TYPE Private Well

022847

S.W.L. (BEFORE CASING):

DRILL DATE: 1963/06/01 **TOWNSHIP SECTION RANGE ELEVATION:** 1,028FT

24N 8W 18 DRILL DEPTH: 185FT

FT

UTM X UTMY DEPTH TO BED: 5FT 4,067,391.94

599,830.15 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: formerly in name of Henry Hargus - 0.5 MI NW OF WEST PLAINS

S.W.L. (AFTER CASING): 90

LOG ID: 023529

WELL TYPE Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,108FT

24N **8W** 18 **DRILL DEPTH:** 385FT

UTM X UTM Y

DEPTH TO BED: 599,613.15 4,066,931.94 65FT ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** NO PRODUCTION OR CONSTRUCTION DATA

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028290 Community Public Well

1979/09/26 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,007FT

DRILL DEPTH: 1,605FT UTM X UTM Y

W8

18

DEPTH TO BED: 50FT 600.030.15 4,067,159.94

ZONE 15 S.W.L. (BEFORE CASING): ALSO LOG #28308; NO PRODUCTION OR CONSTRUCTION DATA

24N

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028308

WELL TYPE

Community Public Well

DRILL DATE:

1979/09/26

TOWNSHIP

<u>RANGE</u>

SECTION 18 **ELEVATION:**

1,007FT

DRILL DEPTH:

24N

W8

<u>UTM X</u> 600,030.15

<u>UTM Y</u> 4,067,159.94

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS: SEE LOG #28290

ZONE 15

LOG ID: 023333

WELL TYPE

Industrial High Capacity Well

DRILL DATE:

1965/01/25

TOWNSHIP

RANGE SECTION

ELEVATION:

1,134FT

DRILL DEPTH:

375FT

24N 8W

19

UTM X

UTM Y

DEPTH TO BED:

45FT

598,613.15

ZONE 15

4,066,931.94

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: "DOC SCHMUTZLER"

S.W.L. (AFTER CASING):

LOG ID: 023372

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP 24N RANGE

OLD WELL DEEPENED 305-385'

SECTION 19 ELEVATION:

1,120FT

DRILL DEPTH:

385FT

N 8W

<u>UTM X</u> 599,013.15 UTM Y

DEPTH TO BED:

305FT

4,066,701.94

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

012076

Community Public Well

DRILL DATE:

1952/12/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,054FT

DRILL DEPTH:

1,535FT

24N

8W

20

DEPTH TO BED:

40FT

REMARKS:

<u>UTM X</u> 601,207.15 <u>UTM Y</u> 4,066,014.93

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: located at Oregon and Third Street

S.W.L. (AFTER CASING): 250



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022148

WELL TYPE

Community Public Well

DRILL DATE:

DRILL DEPTH: 1,535FT

DEPTH TO BED: 15FT

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 144 **TOWNSHIP RANGE SECTION** 24N 8W 20

located on Minnesota Street

ELEVATION:

976FT

UTM X

UTMY 4,066,452.93

601,442.15

ZONE 15

LOG ID: 001697

WELL TYPE

Community Public Well

DRILL DATE:

DEPTH TO BED:

1914/06/28

DRILL DEPTH:

1,305FT

20FT

TOWNSHIP 24N

REMARKS:

RANGE

SECTION

SECTION

21

ELEVATION:

958FT

8W

21

UTM X

UTMY 4,065,862.92

958FT

UTM Y

4,065,761.92

602,462.15

ELEVATION:

UTM X

602,362.15

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: FIVE DIFFERENT LOGS - Driller's Log Attached

RANGE

W8

S.W.L. (AFTER CASING):

LOG ID: 002086

WELL TYPE

Community Public Well

DRILL DATE: DRILL DEPTH: 1921/06/01

851FT

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

89

FT

REMARKS: at city plant

TOWNSHIP

24N

LOG ID:

003014

WELL TYPE

Community Public Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1923/11/16

2,692FT

15FT

TOWNSHIP 24N

RANGE

W8

SECTION 21

ELEVATION:

960FT

UTM X

UTM Y

602.662.15

4,066,064.93

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

CITY WELL COMPLETED 11/1923 - DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):

190



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010500

WELL TYPE

Community Public Well

1948/11/01 DRILL DATE:

DRILL DEPTH: 355FT

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 30

WELL TYPE

LOG ID: 010723

Community Public Well

DRILL DATE:

1949/04/05

FT

DRILL DEPTH: 1,505FT

DEPTH TO BED: 25FT

REMARKS:

located on Cass Avenue - @ CHURCH 4 BLKS W OF SQUARE

SECTION

21

SECTION

22

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 023446

WELL TYPE

Industrial High Capacity Well

84

DRILL DATE:

DRILL DEPTH:

1965/00/00

1,270FT

DEPTH TO BED:

15FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

160

FT

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

RANGE

W8

RANGE

W8

LOG ID: 022852

DEPTH TO BED:

Private Well

WELL TYPE

DRILL DATE: DRILL DEPTH: 1963/03/01

312FT

20FT

REMARKS:

ON HWY 160 0.75 MI E OF WEST PLAINS

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

ELEVATION:

UTM X

601,962.15

UTMY 4,065,355.92

984FT

ZONE 15

HOLE ABANDONED - MECHANICAL DIFFICULTIES; NEW HOLE

OFFSET 9'

SECTION

21

TOWNSHIP 24N

TOWNSHIP

TOWNSHIP

24N

24N

TOWNSHIP

24N

RANGE 8W

RANGE

8W

SECTION 21

ELEVATION:

984FT

UTM X

UTMY

602,062.15 4,065,456.92

ZONE 15

ELEVATION: 951FT

UTM X

UTM Y 4,065,557.92

603,162.14 ZONE 15

ELEVATION: 1,047FT

UTM X UTM Y

604.773.14 4,066,742.92

ZONE 15



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024364

WELL TYPE Private Well

1965/00/00 DRILL DATE:

TOWNSHIP 24N

SECTION

ELEVATION:

974FT

DRILL DEPTH:

150FT

8W 23

RANGE

UTM X

UTMY

DEPTH TO BED:

55FT

605,888.14

4,066,007.92

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

REMARKS: "CAN'T LOCATE"

S.W.L. (AFTER CASING):

60

LOG ID: 022854

WELL TYPE Private Well

DRILL DATE:

1963/01/01

TOWNSHIP

SECTION RANGE

ELEVATION:

930FT

DRILL DEPTH:

190FT

24N 8W

> UTM X 606,581.14

UTMY 4,064,296.90

DEPTH TO BED:

15FT

90

REMARKS:

formerly in name of Mrs. M. Hunter - 10-FT SAMPLES

26

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 008659

WELL TYPE

Community Public Well

DRILL DATE:

1944/05/01

TOWNSHIP

RANGE

SECTION 28

ELEVATION: 1,021FT

DRILL DEPTH:

DEPTH TO BED:

1,695FT

24N **8W**

UTM X

602,358.14 4,064,924.92

UTM Y

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

15FT

REMARKS:

located on Cherry Street

392

LOG ID:

WELL TYPE

016130

Community Public Well

DRILL DATE:

1957/05/01

TOWNSHIP 24N

RANGE W8

SECTION 29

ELEVATION:

UTM X

1,058FT

DRILL DEPTH:

DEPTH TO BED:

1,545FT

UTM Y

601,422.15

4,064,897.92 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

20FT 165

165

FT

FT

REMARKS:

located on Armstrong Street

2/27/2007

2,356



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024955

DRILL DEPTH:

WELL TYPE Private Well

<u>DRILL DATE:</u> 1966/10/27 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,054FT

200FT 24N 8W 32

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 40FT 500,500.14 4,062,982.91

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: 1 MI S OF WEST PLAINS ON HWY 160; SKIPS SAMPLES 55-110'

S.W.L. (AFTER CASING):

LOG ID: 000215

WELL TYPE
Private Well

DRILL DATE: 1905/08/09 TOWNSHIP RANGE SECTION ELEVATION: 924FT

DRILL DEPTH: 505FT 24N 8W 35

<u>UTM X</u> <u>UTM Y</u>

DEPTH TO BED: 400FT 605.862.13 4.062,785.89

<u>TH TO BED:</u> 400FT 605,862.13 4,062,785.89

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: NO SAMPLES 0-400'; POSSIBLY A PROSPECT HOLE, NOT MARKED

S.W.L. (AFTER CASING): AS SUCH

LOG ID: 005003

WELL TYPE Private Well

DRILL DATE: 1932/07/01 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 997FT

DRILL DEPTH: 150FT 24N 8W 35

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 75FT 605,562.13 4,062,074.89

"GREEN HOUSE" - Driller's Log Attached

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

·

LOG ID: WELL TYPE

018848 Noncommunity Public Well

<u>DRILL DATE:</u> 1960/03/01 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,172FT

DRILL DEPTH: 525FT UTM Y

<u>DEPTH TO BED:</u> 45FT 599,056.16 4,071,892.96

S.W.L. (AFTER CASING): REMARKS: formerly in name of West Plains R-5 School

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025983

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

400FT

70FT

175FT

25FT

1967/05/13 DRILL DATE: **TOWNSHIP RANGE SECTION**

> 24N 8W 6

ELEVATION: 1,123FT

UTM X **UTMY** 599,056.16 4,071,012.96

ZONE 15

S.W.L. (BEFORE CASING): FT

5 MI N OF WEST PLAINS PUBLIC SQUARE ON HWY 63 **REMARKS**:

S.W.L. (AFTER CASING): 323

LOG ID: 025199

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

TOWNSHIP SECTION RANGE ELEVATION: 1,071FT

24N 8W 8

> **UTM X UTMY**

601,373.16 4,070,015.95

ZONE 15

S.W.L. (BEFORE CASING):

FT **REMARKS:**

S.W.L. (AFTER CASING): 70

LOG ID:

WELL TYPE Private Well

019777

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,069FT

24N 9W 12 **DRILL DEPTH:** 340FT

FT

UTM X UTM Y

DEPTH TO BED: 20FT 597,826.16 4,068,708.95

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSLTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID: 024362

DEPTH TO BED:

WELL TYPE Private Well

1966/05/21 **DRILL DATE:**

TOWNSHIP RANGE SECTION 24N 9W 12

ELEVATION: 1,070FT

DRILL DEPTH: 150FT

S.W.L. (BEFORE CASING):

UTM X UTM Y

597.526.16 4,069,112.96

ZONE 15

formerly in name of Charles Walker - 1 MI N, 2 MI W OF WEST **REMARKS:**

PLAINS

40 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023615

WELL TYPE Private Well

1965/06/16 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,185FT

24N 9W 14 **DRILL DEPTH:** 125FT

REMARKS:

REMARKS:

UTM X **UTMY** DEPTH TO BED: 40FT 595,709.16 4,068,111.96

formerly in name of R.A. (Bob) Wheeler

ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 38

LOG ID: **WELL TYPE** 023909 Private Well

DRILL DATE: 1965/06/25 **TOWNSHIP RANGE SECTION ELEVATION:** 1,203FT

24N 9W 14 DRILL DEPTH: 160FT

UTM X UTMY

DEPTH TO BED: 595,909.16 100FT 4,068,313.96

ZONE 15 S.W.L. (BEFORE CASING): FT APPROX 4 MI W AND 1 MI N OF WEST PLAINS

S.W.L. (AFTER CASING): 75

LOG ID: **WELL TYPE** Private Well 024075

DRILL DATE: 1965/12/20 **TOWNSHIP RANGE SECTION ELEVATION:** 1,208FT

24N 9W 14 **DRILL DEPTH:** 175FT

UTM X UTM Y

DEPTH TO BED: 100FT 595,709.16 4,068,313.96 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

105 S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE** Private Well 024098

1965/12/08 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,116FT

24N 9W 17 **DRILL DEPTH:** 80FT UTM X UTM Y

DEPTH TO BED: 10FT 591.863.16 4,067,206.96

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: formerly in name of Ted P. Downen S.W.L. (AFTER CASING): 40



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022849

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,085FT

DRILL DEPTH: 170FT 24N 9W 22

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 100FT 594,180.16 4,066,945.95

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: POOR SAMPLES, BADLY STAINED TO TD; 3.75 MI W OF WEST

S.W.L. (AFTER CASING): PLAINS ON HWY CC

LOG ID: 024373

WELL TYPE
Private Well

DRILL DATE: 1966/04/30 TOWNSHIP RANGE SECTION ELEVATION: 1,120FT

DRILL DEPTH: 189FT 24N 9W 22

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 10FT 593,780.16 4,065,625.95

S.W.L. (BEFORE CASING): FT PEMARKO

REMARKS:

S.W.L. (AFTER CASING): 60

LOG ID: WELL TYPE
025314 Private Well

<u>DRILL DATE:</u> 1967/07/19 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,123FT

DRILL DEPTH: 230FT 24N 9W 22

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 20FT 594,080.16 4,065,523.95

S.W.L. (BEFORE CASING):

REMARKS: 4 MI W OF WEST PLAINS

S.W.L. (AFTER CASING):

S.W.L. (AFTER CASING):

LOG ID: 024361

WELL TYPE Private Well

105

DRILL DATE: 1922/04/01 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,180FT

9W

23

ZONE 15

24N

S.W.L. (BEFORE CASING): FT REMARKS: 2.5 MI W OF JCT OF HWY 63 & BYPASS HWY CC



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017214

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

1958/05/12 DRILL DATE:

358FT

DEPTH TO BED: 80FT

S.W.L. (BEFORE CASING): 20 FT

S.W.L. (AFTER CASING): 30 FT **TOWNSHIP RANGE SECTION** 24N

9W 26

ELEVATION:

1,150FT

UTM X 595,483.15

UTMY 4,063,862.93

ZONE 15

formerly in name of Fairview R-II school District - 3.5 MI W OF WEST

PLAINS ON HWY K

LOG ID: 023905

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1965/10/20

20FT

63

TOWNSHIP 24N

REMARKS:

RANGE 9W

SECTION

ELEVATION:

1,160FT

DRILL DEPTH: 250FT 26

UTM X

UTMY 4,064,068.93

595,483.15 ZONE 15

S.W.L. (BEFORE CASING):

FT

5 MI W OF WEST PLAINS ON HWY K **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

025298

WELL TYPE Private Well

DRILL DATE:

1967/06/27

FT

TOWNSHIP

24N

SECTION RANGE 9W

ELEVATION:

1,180FT

DRILL DEPTH:

175FT 40FT

UTM X

UTMY 4,064,068.93

595,883.15 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

55

REMARKS: 3 MI W OF WEST PLAINS; YIELD = "CAPACITY OF PUMP";

26

"BOILERHOUSE SAMPS"

LOG ID:

WELL TYPE

024196

Private Well

DRILL DATE:

1966/05/31

TOWNSHIP 24N

RANGE

SECTION

ELEVATION:

1,140FT

DRILL DEPTH:

DEPTH TO BED:

225FT 35FT

100

9W 3

UTM X

UTM Y

594,323.17 4,072,101.97 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027869

DRILL DEPTH:

WELL TYPE Private Well

1975/01/04 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

24N 9W 34 235FT

UTM X UTM Y DEPTH TO BED: 50FT 593,656.16 4,062,905.93

ZONE 15

1,070FT

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 100

LOG ID:

WELL TYPE

Noncommunity Public Well 019004

DRILL DATE: **TOWNSHIP SECTION** 1960/06/01 **RANGE ELEVATION:** 1,100FT

24N 9W 36 DRILL DEPTH: 1,100FT

UTM X UTMY DEPTH TO BED: 598,090.15 4,062,736.92 600FT

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: OLD WELL DEEPENED 600-1100' 165

S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE**

Noncommunity Public Well

DRILL DATE: 1957/12/01 **TOWNSHIP RANGE SECTION ELEVATION:** 1,151FT

24N 9W 5 **DRILL DEPTH:** 1,650FT

UTM X **UTMY**

DEPTH TO BED: 1,000FT 591,101.17 4,071,899.98 ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** NO SAMPLES O-1000'; FOR "JAMES HOUSE"

S.W.L. (AFTER CASING):

LOG ID: 022863

016966

WELL TYPE Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,066FT

24N

DRILL DEPTH: 150FT UTM X UTM Y

10W

21

DEPTH TO BED: 583,255.17 4,067,138.99 5FT ZONE 15

S.W.L. (BEFORE CASING): FT 0.5 MI W OF JCT OF HWYS AD & CC **REMARKS**:

70 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022855

DRILL DEPTH:

WELL TYPE Private Well

<u>DRILL DATE:</u> 1963/08/01 <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u>

24N 10W 33

<u>UTM X</u> <u>UTM Y</u>

UTM X

UTM Y

<u>DEPTH TO BED:</u> 10FT 582,624.17 4,063,903.97

ZONE 15

1,080FT

S.W.L. (BEFORE CASING): FT REMARKS:

85FT

S.W.L. (AFTER CASING): 50

LOG ID: 025270

WELL TYPE Private Well

DRILL DATE: 1967/06/14 TOWNSHIP RANGE SECTION ELEVATION: 1,030FT

DRILL DEPTH: 200FT 24N 10W 33

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 583,024.17 4,063,497.97

.W.L. (BEFORE CASING): FT

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 130

LOG ID: 021742 WELL TYPE Private Well

DRILL DATE: 1963/04/16 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 938FT

DRILL DEPTH: 315FT 24N 10W 34

UTM X UTM Y

<u>DEPTH TO BED:</u> 60FT 584,240.17 4,062,461.96 ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of W. Hubert Proffitt - 1.25 MI W & O.5 MI N OF

S.W.L. (AFTER CASING): 115 POTTERSVILLE

LOG ID: 024371

WELL TYPE
Private Well

DRILL DATE: 1964/00/00 TOWNSHIP RANGE SECTION ELEVATION: 1,003FT

DRILL DEPTH: 300FT 24N 10W 34

<u>DEPTH TO BED:</u> 70FT 585,040.17 4,062,869.96

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: "POOR SAMPLES"

S.W.L. (AFTER CASING): 240



RANGE

SECTION

0.25 MI W & 0.25 MI S OF PEACE VALLEY

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026643

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

25N 7W 12 **DRILL DEPTH:** 1,185FT

UTM X **UTMY** DEPTH TO BED: 130FT 4,079,262.91

619,508.22 ZONE 15

896FT

ELEVATION:

S.W.L. (BEFORE CASING): VERY POOR SAMPLES, PEACE VALLEY PROJECT **REMARKS**:

TOWNSHIP

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

023908 Private Well

DRILL DATE: 1965/07/19 **TOWNSHIP SECTION RANGE ELEVATION:** 1,080FT

25N 18 7W DRILL DEPTH: 220FT

UTM X **UTMY** DEPTH TO BED: 95FT 611,273.19 4,077,506.96

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 140

LOG ID:

WELL TYPE

Private Well 022856

DRILL DATE: 1963/07/12 **TOWNSHIP RANGE SECTION ELEVATION:** 1,104FT

25N **7W** 19 **DRILL DEPTH:** 80FT

UTM X **UTMY DEPTH TO BED:** 15FT 611,090.18 4,075,700.95

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:** formerly in name of Kenneth Julliff - 2 MI E & 3 MI N OF JCT HWYS 17

30 & EE. S.W.L. (AFTER CASING):

200FT

LOG ID:

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well 025315

1967/05/10 **RANGE DRILL DATE: TOWNSHIP SECTION ELEVATION:** 1,096FT

UTM X UTM Y

7W

19

DEPTH TO BED: 611.090.18 4,076,712.95 45FT

ZONE 15

25N

S.W.L. (BEFORE CASING): FT **REMARKS**: 0.25 MI W OF PEACE VALLEY

S.W.L. (AFTER CASING): 140



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025995

WELL TYPE Private Well

1968/11/ DRILL DATE:

TOWNSHIP RANGE SECTION 7W 2

ELEVATION:

869FT

DRILL DEPTH:

285FT

UTM X

UTMY 4,080,970.93

DEPTH TO BED: 115FT

617,171.22

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

170

FT **REMARKS:**

LOG ID: 023614

WELL TYPE Private Well

DRILL DATE:

1965/03/31

TOWNSHIP

25N

SECTION RANGE

ELEVATION:

1,035FT

DRILL DEPTH:

300FT

25N 21 7W

UTM X

UTMY 4,076,305.93

614,159.19

DEPTH TO BED:

150FT

230

REMARKS:

2 MI E OF PEACE VALLEY

7W

ZONE 15

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 028147

WELL TYPE Private Well

DRILL DATE:

1974/11/30

TOWNSHIP RANGE **SECTION**

ELEVATION:

902FT

DRILL DEPTH:

360FT

25N

35

36

UTM X

UTMY

DEPTH TO BED:

35FT

617,142.18 4,072,980.90

ZONE 15

S.W.L. (BEFORE CASING):

200

FT

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 022846

WELL TYPE Private Well

DRILL DATE:

1963/05/08

TOWNSHIP 25N

RANGE SECTION 8W

ELEVATION:

UTM X

1,008FT

DRILL DEPTH: DEPTH TO BED: 305FT 35FT

UTM Y

609.660.16 4,072,258.94

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 8 MI NE OF WEST PLAINS

S.W.L. (AFTER CASING):

130



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017948

WELL TYPE Private Well

1959/00/00 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,185FT

25N 8W 5 **DRILL DEPTH:** 190FT

UTM X **UTMY** DEPTH TO BED: 70FT 601,945.19 4,080,812.99

ZONE 15

S.W.L. (BEFORE CASING):

NO PRODUCTION OR CONSTRUCTION DATA **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 021772

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: 1962/12/01 **RANGE ELEVATION:** 1,250FT

25N 9W 10 DRILL DEPTH: 220FT

UTM X UTMY

DEPTH TO BED: 30FT 596,357.18 4,078,715.99 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** POOR SAMPLES-DO NOT USE; HWY 63 BETWEEN OLDEN &

S.W.L. (AFTER CASING): 70 **PAMONA**

LOG ID: 021483

WELL TYPE Private Well

DRILL DATE: 1962/06/01 **TOWNSHIP RANGE SECTION ELEVATION:** 1,213FT

25N 9W 22 **DRILL DEPTH:** 140FT

REMARKS:

UTM X **UTMY**

DEPTH TO BED: 596,804.17 4,076,725.99

SW COR OF OLDEN; EVERY OTHER SAMPLE

23

ZONE 15 S.W.L. (BEFORE CASING): FT

80 S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

WELL TYPE

Industrial High Capacity Well 028038

630FT

1976/05/03 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,167FT

UTM X UTM Y DEPTH TO BED: 40FT 597.223.17 4,076,312.98

9W

25N

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: WELL #1

400 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011672 WELL TYPE

Outcrop Description

DRILL DATE:

1951/09/01

TOWNSHIP 25N RANGE SECTION

ELEVATION:

1,158FT

DRILL DEPTH:

5FT

9W 28

<u>UTM X</u>

UTM Y

DEPTH TO BED:

594,462.17

17 4,074,625.98 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 022862

WELL TYPE Private Well

DRILL DATE:

1964/02/18

TOWNSHIP

RANGE SECTION 9W 28

ELEVATION: 1,1

1,107FT

DRILL DEPTH:

150FT

25N 9W

<u>UTM X</u> 594,162.17 <u>UTM Y</u> 4,074,523.98

DEPTH TO BED:

50FT

FT

ZONE 15

S.W.L. (BEFORE CASING):

90

REMARKS: POOR SAMPLES

S.W.L. (AFTER CASING):

LOG ID: 011669 WELL TYPE

Private Well

DRILL DATE:

1951/09/01

TOWNSHIP RA

RANGE SECTION

ELEVATION: 1

1,060FT

DRILL DEPTH:

43FT

25N 9W 29

UTM X

<u>UTM Y</u>

DEPTH TO BED:

592,841.17 4,074,659.99 ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA; QUARRY

(OUTCROP) DESCRIPTION ??

LOG ID:

WELL TYPE

012436

Private Well

DRILL DATE:

1953/10/01

TOWNSHIP R

25N

RANGE SECTION

ELEVATION:

1,139FT

DRILL DEPTH:

151FT

9W 29

UTM X

<u>UTM Y</u> 4,074,353.99

DEPTH TO BED:

75FT

593,341.17 4 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 7 SAMPLES; 9 MI NW OF WEST PLAINS

S.W.L. (AFTER CASING):

40



RANGE

RANGE

RANGE

9W

9W

9W

formerly in name of John Boyer (Goyer)

SECTION

3

SECTION

3

SECTION

3

formerly in name of Pomona Water District Well #1

TOWNSHIP

25N

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

596,472.18

ELEVATION:

UTM X

596,472.18

ELEVATION:

UTM X

596,745.18

ZONE 15

ZONE 15

1,220FT

UTMY

4,080,759.00

1,226FT

UTMY

4,080,551.00

1,238FT

UTMY

4,080,563.00

LOG ID: 021365

DRILL DEPTH:

WELL TYPE Private Well

1962/12/01 DRILL DATE:

450FT

DEPTH TO BED: 60FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 021453

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH: 405FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

70FT

302

FT

REMARKS:

REMARKS:

TOWNSHIP

TOWNSHIP

25N

25N

25N

25-FT SAMPLES; USE LOG WITH CAUTION

WELL TYPE

LOG ID: 025038

Community Public Well

65FT

DRILL DATE: DRILL DEPTH: 1967/07/01

1,250FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 022839

WELL TYPE Private Well

DRILL DATE:

1963/10/18

DRILL DEPTH:

155FT

DEPTH TO BED:

100FT

70

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:

TOWNSHIP RANGE SECTION 9W

35

ELEVATION:

1,240FT

UTM X UTM Y

ZONE 15

596.972.17 4,073,293.97

ZONE 15

SEE LOG #22858; 1 MI DUE W OF JCT HWYS 63 & 14, 1/8 MI S OF

JWY 14



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022858

DRILL DEPTH:

WELL TYPE Private Well

1964/03/21 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

> 25N 9W 35 180FT

> > **REMARKS**:

UTM X **UTMY** DEPTH TO BED: 40FT 596,972.17 4,073,293.97

SEE LOG #22839

ZONE 15

1,255FT

S.W.L. (AFTER CASING): 102

LOG ID: **WELL TYPE** 024360 Private Well

S.W.L. (BEFORE CASING):

1965/00/00 **TOWNSHIP SECTION** DRILL DATE: **RANGE ELEVATION:** 1,238FT

25N 9W 35 DRILL DEPTH: 150FT

FT

UTM X UTMY DEPTH TO BED: 75FT 4,073,093.97

596,972.17 ZONE 15

S.W.L. (BEFORE CASING): FT formerly in name of Harold Shannon - 1 MI SW OF JCT OF HWY 63 & **REMARKS**:

S.W.L. (AFTER CASING): 85

LOG ID: **WELL TYPE**

Community Public Well 028702

DRILL DATE: 1989/01/27 **TOWNSHIP RANGE SECTION ELEVATION:** 1,221FT

25N 9W 35 **DRILL DEPTH:** 1,005FT

UTM X UTM Y **DEPTH TO BED:** 598,272.16 4,072,793.97

ZONE 15 S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE** Private Well 018673

1959/10/18 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,214FT

DRILL DEPTH: 319FT UTM X UTM Y

9W

36

DEPTH TO BED: 598.768.16 4,072,468.97 7FT

ZONE 15

25N

S.W.L. (BEFORE CASING): FT **REMARKS:** SWL TOO LOW ???

S.W.L. (AFTER CASING): 316



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003081

WELL TYPE

Community Public Well

DRILL DATE:

1924/06/00

TOWNSHIP 25N

RANGE SECTION **ELEVATION:**

DRILL DEPTH:

420FT

10W 23

UTM X

ZONE 15

UTMY

DEPTH TO BED: 40FT 587,393.17

4,075,835.00

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FOR COOLING ONLY **REMARKS**:

LOG ID: 027228

WELL TYPE Private Well

DRILL DATE:

1970/10/01

TOWNSHIP

SECTION RANGE

ELEVATION:

1,104FT

DRILL DEPTH:

135FT

25N 10W

UTM X

UTMY

DEPTH TO BED:

10FT

28

584,244.16

ZONE 15

4,074,677.01

S.W.L. (BEFORE CASING):

1 MI W OF PUMPKIN CENTER ON HWY 14 REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 021590

WELL TYPE

Noncommunity Public Well

DRILL DATE:

TOWNSHIP 25N

RANGE SECTION **ELEVATION:**

1.221FT

DRILL DEPTH:

500FT

10W 32

> UTM X UTM Y

DEPTH TO BED:

65FT

583,401.16

4,073,908.01 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

SILOAM SPRINGS LOOKOUT TOWER OFF HWY 14, 12 MI W BY N

34

OF WEST PLAINS

LOG ID:

WELL TYPE

022848

Private Well

DRILL DATE:

TOWNSHIP 25N

SECTION RANGE

10W

ELEVATION:

1,180FT

DRILL DEPTH: DEPTH TO BED: 137FT 30FT

UTM X

UTM Y 4,073,650.00

586.436.17

ZONE 15

S.W.L. (BEFORE CASING):

HWY 14, 250 YDS SE OF PUMPKIN CENTER STORE **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027230

DRILL DEPTH:

WELL TYPE Private Well

1970/09/22 DRILL DATE:

131FT

DEPTH TO BED: 20FT **TOWNSHIP RANGE** 25N 10W

SECTION 34

ELEVATION:

1,167FT

UTM X 586,236.17

ELEVATION:

ELEVATION:

UTM X

617,874.27

UTMY 4,073,238.00

1,180FT

1,175FT

UTM Y

4,088,034.96

ZONE 15

S.W.L. (BEFORE CASING):

0.5 MI S OF PUMPKIN CENTER ON HWY 14 **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 025312

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH: 225FT

DEPTH TO BED: 75FT **TOWNSHIP SECTION RANGE** 25N

10W 36

UTM X UTMY 4,073,411.99 589,080.17

ZONE 15

S.W.L. (BEFORE CASING):

11 MI NW OF WEST PLAINS, 5 MI W OF HWY 63 ON HWY 14 REMARKS:

SECTION

14

S.W.L. (AFTER CASING):

LOG ID: 014384

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: 1955/12/06

505FT

45FT

400

DEPTH TO BED: S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: VERY POOR SAMPLES; SWL ???

RANGE

7W

TOWNSHIP

26N

LOG ID: 014287

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1955/11/11

520FT 35FT

375

RANGE SECTION TOWNSHIP 26N 16

7W

ELEVATION: 1,124FT

UTM X UTM Y 614.455.26 4,088,083.98

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:



RANGE

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026466

WELL TYPE

Exploratory Hole (Mineral Prospect)

1969/11/18 DRILL DATE:

26N 7W 33 **DRILL DEPTH:**

UTM X UTMY DEPTH TO BED: 614,160.23 4,082,997.96

ZONE 15

902FT

ELEVATION:

S.W.L. (BEFORE CASING): #26466 0-874', #28501 874-TD -SEE LOG #28501 FOR WHOLE WELL **REMARKS**:

TOWNSHIP

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 028501

TOWNSHIP SECTION DRILL DATE: 1969/11/18 **RANGE ELEVATION:**

26N 33 7W DRILL DEPTH: 1,936FT

UTM X **UTMY** DEPTH TO BED: 30FT

614,160.23 4,082,997.96 ZONE 15

SECTION

S.W.L. (BEFORE CASING): 0-874 #26466 ? REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 022158

DRILL DATE: 1963/08/20 **TOWNSHIP RANGE SECTION ELEVATION:** 1,120FT

26N **8W** 12 **DRILL DEPTH:** 440FT

UTM X UTM Y **DEPTH TO BED:**

90FT 609,078.24 4,089,054.01 ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: formerly in name of Tom O'Neal - 7 MI S OF MOUNTAIN VIEW ON **HWY 17**

300 S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Oil Well 003011

1921/00/00 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,150FT

DRILL DEPTH: 3,815FT UTM X UTM Y

W8

28

DEPTH TO BED: 40FT 604.438.20 4,084,042.00

ZONE 15

26N

S.W.L. (BEFORE CASING): FT **REMARKS:** DRY OIL TEST

280 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024369

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,187FT

> 26N 8W 30 316FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 190FT

600,302.19 4,083,931.01

ZONE 15

UTM X

UTM Y

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 235

LOG ID:

WELL TYPE

Noncommunity Public Well 011441

TOWNSHIP SECTION DRILL DATE: 1950/07/01 **RANGE ELEVATION:** 1,146FT

26N 9W 1 DRILL DEPTH: 403FT

UTM X UTMY DEPTH TO BED: 90FT 599,500.21 4,090,782.03

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING): 260

LOG ID: **WELL TYPE** Private Well 023968

DRILL DATE: 1965/00/00 **TOWNSHIP RANGE SECTION ELEVATION:** 1,204FT

26N 9W

DRILL DEPTH: 500FT UTM X UTM Y

DEPTH TO BED: 600,100.21 4,089,970.03 55FT ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** formerly in name of William Canton - MANY MISSING SAMPLES

S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE**

Private Well 014568

1956/00/00 **DRILL DATE: TOWNSHIP RANGE SECTION** 1,243FT **ELEVATION:**

26N 9W 14 **DRILL DEPTH:** 500FT

DEPTH TO BED: 597.863.19 4,087,182.02 350FT

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** NO SAMPLES 0-350'

S.W.L. (AFTER CASING): 350



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025189

DRILL DEPTH:

WELL TYPE Private Well

1967/10/12 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,191FT

> 26N 9W 14 515FT

UTM X **UTMY** DEPTH TO BED: 55FT 598,063.20 4,088,210.02

ZONE 15

S.W.L. (BEFORE CASING): FT 2 MI S AND 0.75 MI W OF HUTTON VALLEY ON HWY 60 **REMARKS**:

S.W.L. (AFTER CASING): 180

LOG ID: 018387

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: **RANGE ELEVATION:** 1,241FT

26N 9W 15 DRILL DEPTH: 350FT

UTM X **UTMY** DEPTH TO BED: 60FT 595,438.19 4,088,024.03

ZONE 15

S.W.L. (BEFORE CASING): NO PRODUCTION OR CONSTRUCTION DATA REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 023147

WELL TYPE Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,269FT

26N 9W 20 **DRILL DEPTH:** 430FT

UTM X UTM Y

DEPTH TO BED: 70FT 592,794.18 4,086,705.03 ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** "DO NOT USE ..; SINK HOLE COUNTRY, POOR SAMPLES"; 1 MI S

OF BURNHAM S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Noncommunity Public Well 020891

480FT

1962/05/01 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,305FT

DRILL DEPTH: UTM X UTM Y

9W

22

DEPTH TO BED: 200FT 595.832.18 4,085,606.02

ZONE 15 S.W.L. (BEFORE CASING): 332 FT

26N

MUD SEAM 440-480'; PLUGGED BACK TO 435' **REMARKS:** FΤ S.W.L. (AFTER CASING): 341



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023973

DRILL DEPTH:

WELL TYPE Private Well

<u>DRILL DATE:</u> 1965/00/00 <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u>

425FT 26N 9W 24

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 100FT 599,674.19 4,085,245.01

ZONE 15

1,168FT

S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID: 024106 WELL TYPE Private Well

DRILL DATE: 1965/12/18 TOWNSHIP RANGE SECTION ELEVATION: 1,246FT

DRILL DEPTH: 440FT 26N 9W 27

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 235FT 596,413.18 4,083,992.01

S.W.L. (BEFORE CASING): FT DEMARKS 2005 FEET OF RESIDURING

S.W.L. (AFTER CASING): REMARKS: 235 FEET OF RESIDUUM
S.W.L. (AFTER CASING): 305

S.W.L. (AFTER CASING): 3

LOG ID: 021814

WELL TYPE
Private Well

<u>DRILL DATE:</u> 1963/03/09 <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u> 1,209FT

DRILL DEPTH: 450FT 26N 9W 4

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 595,057.19 4,091,528.04

S.W.L. (BEFORE CASING): FT PEMARKS AND LOCAL SOLUTION OF A SECOND SOLUTI

REMARKS: 1ST HOUSE ON E SIDE HWY 63 S OF JCT HWYS 60 & 63

S.W.L. (AFTER CASING): 153

LOG ID: 009687

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 1,308FT

<u>DRILL DEPTH:</u> 253FT 26N 9W 6 UTM X UTM Y

<u>DEPTH TO BED:</u> 591,965.18 4,090,699.04

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 2.5 MI SE OF WILLOS SPRINGS

S.W.L. (AFTER CASING): 145



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023985

WELL TYPE Private Well

1966/01/15 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,324FT

> 26N 9W 6 275FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 65FT

591,465.17 4,091,626.05

ZONE 15

S.W.L. (BEFORE CASING): FT

ABT 2 MI S OF WILLOW SPRINGS **REMARKS**:

S.W.L. (AFTER CASING): 195

LOG ID: 021486

WELL TYPE Private Well

DRILL DATE: 1962/11/27 **TOWNSHIP SECTION RANGE ELEVATION:** 1,284FT

26N 9W DRILL DEPTH: 310FT

UTM X UTMY DEPTH TO BED: 125FT

9

594,839.19 4,089,054.03 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: EVERY OTHER SAMPLE RECORDED (OR 10-FT SAMPLES)

S.W.L. (AFTER CASING): 223

LOG ID: 002969

WELL TYPE Private Well

SECTION DRILL DATE: 1934/09/01 **TOWNSHIP RANGE ELEVATION:** 1,204FT

26N 10W 16

DRILL DEPTH: 510FT UTM X UTM Y

Driller's Log Attached

10W

16

DEPTH TO BED: 40FT 584,583.16 4,087,834.05

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 212

LOG ID: 003398

WELL TYPE Private Well

1935/07/01 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,200FT

DRILL DEPTH: 780FT UTM X UTM Y

DEPTH TO BED: 584,583.16 4,087,834.05 55FT

ZONE 15

26N

S.W.L. (BEFORE CASING): FT **REMARKS:** Driller's Log Attached

S.W.L. (AFTER CASING): 240



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003604

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1936/05/14 DRILL DATE:

170FT

20FT

TOWNSHIP

26N

RANGE 10W

SECTION

1

ELEVATION:

1,274FT

UTM X

UTMY 4,091,672.06

585,011.16

ZONE 15

S.W.L. (BEFORE CASING):

FT

125

REMARKS: Driller's Log Attached

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

024339 DRILL DATE:

1966/04/04

TOWNSHIP 27N

SECTION RANGE

ELEVATION:

1,093FT

DRILL DEPTH:

350FT

7W

UTM X

UTMY 4,100,971.97

618,684.29 ZONE 15

DEPTH TO BED:

85FT

REMARKS: NO SAMPLES 100-205'

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 028168

WELL TYPE Private Well

DRILL DATE:

1978/03/31

TOWNSHIP 27N

RANGE SECTION 10

ELEVATION:

DRILL DEPTH:

1.400FT

7W

UTM X 615,903.29

UTM Y 4,099,121.99

DEPTH TO BED:

NOT LOGGED: "WILL RUN IF NECESSARY

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 021341

WELL TYPE Private Well

1962/07/01

DRILL DATE:

TOWNSHIP 27N

RANGE

SECTION

ELEVATION:

1,200FT

DRILL DEPTH: DEPTH TO BED: 255FT 105FT 7W 13

UTM X UTM Y 4,097,141.99

ZONE 15

618.085.31

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020297

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1961/05/18 TOWNSHIP RANGE

300FT 27N 7W 14

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 75FT 617,709.31 4,096,281.99

SECTION

ZONE 15

1,144FT

ELEVATION:

S.W.L. (BEFORE CASING): REMARKS: CASED AT 200'; NO PRODUCTION DATA

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

022021 Industrial High Capacity Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,156FT

DRILL DEPTH: 350FT 27N 7W 14

DEPTH TO BED: 85FT UTM X UTM Y 617,709.31 4,096,281.99

<u>DEPTH TO BED:</u> 85FT 617,709.31 4,096,281.99 ZONE 15

S.W.L. (BEFORE CASING): REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 027826

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,222FT

DRILL DEPTH: 80FT 27N 7W 16

REMARKS:

UTM X UTM Y

<u>DEPTH TO BED:</u> 40FT 614,281.29 4,096,718.01 ZONE 15

NO PRODUCTION OR CONSTRUCTION DATA

19

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 009177

WELL TYPE Private Well

<u>DRILL DATE:</u> 1946/05/28 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 1,315FT

DRILL DEPTH: 330FT UTM Y

7W

<u>DEPTH TO BED:</u> 80FT 610,762.28 4,095,682.03
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 2.5 MI W OF MTN. VIEW ON HWY 60

27N

S.W.L. (AFTER CASING): 244



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002392

WELL TYPE

Noncommunity Public Well

1930// DRILL DATE:

TOWNSHIP RANGE 27N

ELEVATION:

1,170FT

DRILL DEPTH:

325FT

7W 22

SECTION

22

UTM X UTMY

DEPTH TO BED:

165FT

616,303.31 4,096,088.00

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS:

TOURIST "CAMP" AT EDGE OF TOWN ON HWY 60 - Driller's Log

Attached

LOG ID:

WELL TYPE

003420

Industrial High Capacity Well

245

DRILL DATE:

1935/07/01

TOWNSHIP

SECTION RANGE

ELEVATION: 1,178FT

DRILL DEPTH:

408FT

27N 7W

UTM X

616,103.31

UTMY 4,095,690.00

DEPTH TO BED: 40FT

285

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: Driller's Log Attached

S.W.L. (AFTER CASING):

LOG ID: 004929

WELL TYPE

Community Public Well

DRILL DATE:

1938/07/01

TOWNSHIP

SECTION RANGE

ELEVATION: 1,146FT

DRILL DEPTH:

1,150FT

27N **7W** 22

> UTM X UTM Y

DEPTH TO BED:

65FT

317

615,351.30 4,095,327.01

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT **REMARKS:**

0-135' - "1ST HOLE"; 135-TD "2ND HOLE", BESIDE 1ST; LEFT BIT IN

HOL - Driller's Log Attached

LOG ID:

WELL TYPE

010151

Community Public Well

DRILL DATE:

1948/03/01

RANGE TOWNSHIP

ELEVATION:

1,168FT

DRILL DEPTH:

1,400FT

27N **7W** 22

> UTM X UTM Y

614.998.30 4,095,394.01

ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

85FT

323 FT **REMARKS**: FΤ

0-1160' = Log #10151, 1160-1400' = Log #10213

SECTION

S.W.L. (AFTER CASING):

349



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010213

WELL TYPE

Community Public Well

DRILL DATE: 1948/06/01

RANGE TOWNSHIP SECTION 27N 7W 22

ELEVATION:

1,169FT

UTMY

4,095,492.01

DRILL DEPTH: DEPTH TO BED: 1,400FT

UTM X

615,703.31

ZONE 15

S.W.L. (BEFORE CASING):

323

REMARKS:

0-1160' = Log #10151, 1160-1400' = Log #10213

S.W.L. (AFTER CASING):

349 FT

FT

LOG ID: 020695

WELL TYPE

Community Public Well

DRILL DATE:

1962/02/01

TOWNSHIP

RANGE SECTION 22

ELEVATION: 1,163FT

ZONE 15

DRILL DEPTH:

1,367FT

27N 7W

UTM X

615,831.31

UTMY 4,095,517.00

DEPTH TO BED: S.W.L. (BEFORE CASING):

100FT 250

REMARKS:

S.W.L. (AFTER CASING):

340

FT

FT

FT

LOG ID: 019336

WELL TYPE

Private Well

DRILL DATE:

1960/07/20

TOWNSHIP

RANGE SECTION 7W

ELEVATION:

1,156FT

DRILL DEPTH:

275FT

27N

23

24

UTM X

DEPTH TO BED:

65FT

UTM Y 617,299.31 4,094,676.99

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

95

LOG ID:

WELL TYPE Private Well

025433

1967/04/10

TOWNSHIP 27N

RANGE SECTION 7W

ELEVATION:

618.789.32

1,108FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

320FT 35FT

UTM X

UTM Y 4,095,605.99

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024342

DRILL DEPTH:

WELL TYPE Private Well

385FT

1966/02/01 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

> 27N 7W 32

UTM X **UTMY** DEPTH TO BED: 10FT 611,885.27 4,092,724.02

ZONE 15

1,189FT

S.W.L. (BEFORE CASING): **REMARKS:** formerly in name of James Sharp - 3 MI SW OF MTN. VIEW

S.W.L. (AFTER CASING):

LOG ID: 013696

WELL TYPE Private Well

DRILL DATE: 1955/06/29 **TOWNSHIP SECTION RANGE ELEVATION:** 1,190FT

27N 7W DRILL DEPTH: 165FT

UTM X UTMY DEPTH TO BED: 613,892.29 4,097,910.01 110FT

9

ZONE 15 S.W.L. (BEFORE CASING): FT

2 MI NW OF MTN. VIEW ON HWY Y REMARKS: S.W.L. (AFTER CASING): 90

LOG ID: 009159

WELL TYPE Private Well

DRILL DATE: 1946/05/07 **TOWNSHIP RANGE SECTION ELEVATION:** 1,268FT

27N **8W** 16 **DRILL DEPTH:** 71FT

UTM X UTM Y **DEPTH TO BED:** 50FT 604,502.24 4,096,466.04

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS**: 7 MI E OF HWY 63 ON HWY 60

S.W.L. (AFTER CASING): 16

LOG ID: 009171

WELL TYPE Private Well

1946/05/14 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,245FT

27N **DRILL DEPTH:** 101FT

UTM X UTM Y DEPTH TO BED: 603.902.24 4,096,670.04

W8

16

ZONE 15

S.W.L. (BEFORE CASING): FT 7 MI W OF MTN VIEW ON COUNTY RD; ALL RESIDUUM **REMARKS**:

S.W.L. (AFTER CASING): 40



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025441

WELL TYPE Private Well

1964/09/25 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,279FT

27N 8W 17 **DRILL DEPTH:** 158FT

UTM X **UTMY** DEPTH TO BED: 10FT

602,793.23 4,097,172.04

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: 1 MI N OF HWY 60

S.W.L. (AFTER CASING): 43

LOG ID: 025567

WELL TYPE Private Well

DRILL DATE: 1967/01/09 **TOWNSHIP SECTION RANGE ELEVATION:** 1,294FT

27N 8W 17 DRILL DEPTH: 160FT

UTM X UTMY DEPTH TO BED: 65FT 603,393.23 4,097,578.04

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** formerly in name of Glen W. James - N OF HWY 60 BETWEEN MTN.

VIEW & WILLOW SPRINGS S.W.L. (AFTER CASING): 95

LOG ID: 024374

WELL TYPE Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,270FT

27N **8W** 23 **DRILL DEPTH:** 246FT

UTM X UTM Y **DEPTH TO BED:** 25FT 606,793.26 4,095,381.04

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: POOR SAMPLES: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID: 013848

WELL TYPE Private Well

1955/07/29 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,204FT

DRILL DEPTH: 200FT UTM X UTM Y

W8

27

DEPTH TO BED: 606.576.25 4,093,185.03 45FT

ZONE 15 S.W.L. (BEFORE CASING): FT

27N

REMARKS: S.W.L. (AFTER CASING): 155



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009223

DRILL DEPTH:

WELL TYPE Private Well

1946/07/01 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,157FT

> 27N 8W 32 186FT

UTM X **UTMY** DEPTH TO BED: 40FT

602,658.23 4,092,261.03

UTM X

UTM Y

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: 9 MI E OF WILLOW SPRINGS

S.W.L. (AFTER CASING): 120

LOG ID: 008065

WELL TYPE Private Well

DRILL DATE: 1942/08/24 **TOWNSHIP RANGE SECTION ELEVATION:** 1,402FT

27N 9W 17 DRILL DEPTH: 153FT

UTM X UTMY DEPTH TO BED: 593,264.18 4,097,053.06

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** formerly in name of Carl Nelson - 1.5 MI N & 0.5 MI E OF WILLOW

SPRINGS; ALL RESIDUUM S.W.L. (AFTER CASING): 85

FT

LOG ID: 019305

WELL TYPE Private Well

DRILL DATE: 1960/05/09 **TOWNSHIP RANGE SECTION ELEVATION:** 1,365FT

27N 9W 17 **DRILL DEPTH:** 150FT

UTM X UTM Y **DEPTH TO BED:** 50FT 592,664.17 4,097,053.06

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** APPROX 1 MI N OF WILLOW SPRINGS ON HWY 137

57 S.W.L. (AFTER CASING):

LOG ID: 021538

S.W.L. (AFTER CASING):

WELL TYPE Private Well

115

1962/09/26 **TOWNSHIP RANGE SECTION DRILL DATE: ELEVATION:** 1,429FT

27N 9W 17 **DRILL DEPTH:** 195FT

DEPTH TO BED: 593.464.17 4,097,665.06 95FT

ZONE 15 S.W.L. (BEFORE CASING): FT

2.5 MI N, 0.25 MI E OF WILLOW SPRINGS ON HWY 13 **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012351

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE

Community Public Well

1953/05/01 DRILL DATE:

1,545FT

55FT

FT

TOWNSHIP RANGE SECTION 27N 9W

19

ELEVATION:

1,291FT

UTM X 591,732.18

UTMY 4,095,399.06

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

SW COR SCHL ATHLETIC FIELD; 1500' NW OF #2 & 3

S.W.L. (AFTER CASING):

305

LOG ID:

WELL TYPE

Noncommunity Public Well 008063

DRILL DATE:

1942/09/16

TOWNSHIP

DRILL DEPTH: DEPTH TO BED:

177FT 155FT

92

27N

RANGE 9W

SECTION 20

ELEVATION:

1,316FT

UTM X

UTMY 4,095,430.06

592,643.18 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: HENRT DICKMAN; NEAR WILLOW SPRINGS

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

011474 **DRILL DATE:**

1950/05/20

TOWNSHIP 27N

SECTION RANGE

ELEVATION:

1,263FT

DRILL DEPTH:

9W 26

OLD WELL DEEPENED - SEE LOG #12669

UTM X

UTM Y

DEPTH TO BED:

598,498.21 4,094,682.05

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

012669

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1950/05/20

TOWNSHIP 27N

RANGE 9W

SECTION 26

ELEVATION:

1,291FT

UTM Y

598.498.21

UTM X

4,094,682.05

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

OLD WELL (#11474) DEEPENED 155-200' (#12669)

S.W.L. (AFTER CASING):

42

200FT

95FT



RANGE

9W

SECTION

29

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002210

DRILL DEPTH:

WELL TYPE

Community Public Well

DRILL DATE: 1926/08/01

1,310FT

UTM X UTM Y

2 SAMPLE LOGS

<u>DEPTH TO BED:</u> 125FT 592,232.18 4,094,832.06

TOWNSHIP

27N

REMARKS:

ZONE 15

1,327FT

ELEVATION:

S.W.L. (AFTER CASING): 297

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

009248 Community Public Well

<u>DRILL DATE:</u> 1946/08/01 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,336FT

DRILL DEPTH: 960FT 27N 9W 29

FT

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 350FT 592,232.18 4,094,832.06

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: OLD WELL (0-378') DEEPENED 378-565' (#9248), THEN 565-960'

S.W.L. (AFTER CASING): (#9545)

LOG ID:

WELL TYPE

009545 Community Public Well

<u>DRILL DATE:</u> 1946/08/01 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,283FT

27N 9W 29

DRILL DEPTH:

UTM X
UTM Y

<u>DEPTH TO BED:</u> 592,232.18 4,094,832.06

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: SEE LOG #9248

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

019361 Community Public Well

DRILL DATE: 1960/09/01 <u>TOWNSHIP</u> RANGE <u>SECTION</u> <u>ELEVATION:</u> 1,259FT

DRILL DEPTH: 1,495FT UTM Y

9W

30

<u>DEPTH TO BED:</u> 55FT 591,621.18 4,094,453.06

ZONE 15

27N

S.W.L. (BEFORE CASING): FT REMARKS: located on 10th Street

S.W.L. (AFTER CASING): 340



RANGE

RANGE

RANGE

9W

9W

9W

SECTION

30

SECTION

33

SECTION

33

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

590,905.17

ELEVATION:

UTM X

595,124.19

ELEVATION:

UTM X

595,124.19

ZONE 15

ZONE 15

ZONE 15

1,281FT

UTMY

4,093,821.05

1,183FT

UTMY

4,091,824.04

1,178FT

UTM Y

4,091,824.04

LOG ID: 026467

WELL TYPE

Community Public Well

DRILL DATE: 1969/11/01

DRILL DEPTH: 1,500FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

55FT

FT

S.W.L. (AFTER CASING): 360

LOG ID: 007902

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE:

1942/08/01

427FT

DEPTH TO BED:

214FT

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

REMARKS:

OLD WELL (#7902) DEEPENED 214-427' (#10533) (1948)

TOWNSHIP

27N

27N

TOWNSHIP

27N

TOWNSHIP

27N

29

S.W.L. (AFTER CASING):

LOG ID: 010533

WELL TYPE Private Well

DRILL DATE: 1942/08/01

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 013708

WELL TYPE Private Well

DRILL DATE:

1955/01/15

DRILL DEPTH:

DEPTH TO BED: 30FT

250FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 75

FT

TOWNSHIP

SECTION RANGE 9W

33

OLD WELL DEEPENED - SEE LOG #7902

UTM X

ELEVATION:

UTM Y

1,193FT

595.024.19 ZONE 15

4,092,339.04

APPROX. 1/8 MI N OF JCT OF JWYS 60 & 63 **REMARKS:**



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027889

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,200FT

> 27N 9W 33

UTM X **UTMY** DEPTH TO BED: 168FT 594,824.19 4,092,339.04

ZONE 15

S.W.L. (BEFORE CASING): OLD WELL DEEPENED 168-210'; NO PROD OR CONSTRUCTION **REMARKS**:

DATA S.W.L. (AFTER CASING):

210FT

LOG ID: 027309

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: 1970/02/13 **RANGE ELEVATION:** 1,193FT

27N 9W 34 DRILL DEPTH: 200FT

UTM X UTMY DEPTH TO BED: 80FT 596,847.20 4,091,860.04

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** E OF WILLOW SPRINGS, ON HWY 60 1 MI E OF JCT OF HWYS 60 &

S.W.L. (AFTER CASING): 70 63

LOG ID: 023128

WELL TYPE Private Well

DRILL DATE: 1964/06/25 **TOWNSHIP RANGE SECTION ELEVATION:** 1,387FT

27N 10W 23 **DRILL DEPTH:** 255FT

UTM X UTM Y **DEPTH TO BED:** 588,881.16 4,095,102.06 35FT

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

176FT

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Noncommunity Public Well 003841

SECTION DRILL DATE: 1936/07/26 **TOWNSHIP RANGE ELEVATION:** 1,350FT

DRILL DEPTH: UTM X UTM Y

10W

24

DEPTH TO BED: 590.496.17 4,096,147.06 ZONE 15

S.W.L. (BEFORE CASING): FT "OPEN GROUND & BOULDERS"; 1 MI W OF WILLOW SPRINGS **REMARKS**:

27N

100 S.W.L. (AFTER CASING):



RANGE

10W

SECTION

27

SECTION

27

SECTION

34

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

586,451.16

ELEVATION:

UTM X

586,251.16

ELEVATION:

UTM X

587,047.16

ZONE 15

ZONE 15

ZONE 15

1,286FT

UTMY

4,094,497.06

1,247FT

UTMY

4,094,293.06

1,300FT

UTM Y

4,093,283.06

LOG ID: 003840

DRILL DEPTH:

WELL TYPE Private Well

1936/07/14 DRILL DATE:

142FT

DEPTH TO BED: 25FT

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 012868

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1954/00/00

160FT

135FT

80

REMARKS:

TOWNSHIP

27N

TOWNSHIP

27N

TOWNSHIP

27N

RANGE

10W

RANGE

10W

REMARKS:

TWO SAMPLES; NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 023811

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH: 278FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 003631

WELL TYPE Private Well

DRILL DATE:

1936/06/05

DRILL DEPTH:

DEPTH TO BED:

120FT

17FT

75

TOWNSHIP 27N

RANGE

10W

2 MI W OF WILLOW SPRINGS ON HWY H

SECTION 35

ELEVATION:

1,265FT

UTM X

UTM Y 4,093,296.06

588.666.16

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

HOWELL